

Functional Rating Index – Neck/Back



alpine **chiropractic**

In order to properly assess your condition, we must understand how much your neck and or back problems have affected your ability to manage everyday activities. As you read the list, **think of yourself today**. Please circle the number that **most closely** describes your condition **right now**.

Section 1: Pain Intensity

0	1	2	3	4
No pain	Mild pain	Moderate pain	Severe pain	Worst Possible pain

Section 2: Sleeping

0	1	2	3	4
Perfect sleep	Mildly disturbed sleep	Moderately disturbed sleep	Greatly disturbed sleep	Totally disturbed sleep

Section 3: Personal Care (washing, dressing etc.)

0	1	2	3	4
No Pain; no restrictions	Mild pain; no restrictions	Moderate pain; need to go slowly	Moderate pain; need assistance	Severe pain; need 100% assistance

Section 4: Traveling

0	1	2	3	4
No pain on long trips	Mild pain on long trips	Moderate pain on long trips	Moderate pain on short trips	Severe pain on short trips

Section 5: Work

0	1	2	3	4
Can do usual work, + unlimited extra work	Can do usual work; no extra work	Can do 50% of usual work	Can do 25% of usual work	Cannot work

Section 6: Recreation

0	1	2	3	4
Can do all activities	Can do most activities	Can do some activities	Can do a few activities	Cannot do any activity

Section 7: Frequency of Pain

0	1	2	3	4
No Pain	Occasional pain; 25% of day	Intermittent pain; 50% of day	Frequent pain; 75% of day	Constant pain; 100% of day

Section 8: Lifting

0	1	2	3	4
No pain with heavy weight	Increased pain with heavy weight	Increased pain with moderate weight	Increased pain with light weight	Increased pain with any weight

Section 9: Walking

0	1	2	3	4
No Pain; any distance	Increased pain after 1 mile	Increased pain after ½ mile	Increased pain after ¼ mile	Increased pain with all walking

Section 10: Standing

0	1	2	3	4
No pain after several hours	Increased pain after several hours	Increased pain after 1 hour	Increased pain after ½ hour	Increased pain with any standing

Patient Name _____ Patient Signature _____ Date _____



Patient Name _____ **Date** _____

This questionnaire will give your provider information about how your back condition affects your everyday life. Please answer every section by marking the one statement that applies to you. If two or more statements in one section apply, please mark the one statement that most closely describes your problem.

Pain Intensity

- ① The pain comes and goes and is very mild.
- ① The pain is mild and does not vary much.
- ② The pain comes and goes and is moderate.
- ③ The pain is moderate and does not vary much.
- ④ The pain comes and goes and is very severe.
- ⑤ The pain is very severe and does not vary much.

Sleeping

- ① I get no pain in bed.
- ① I get pain in bed but it does not prevent me from sleeping well.
- ② Because of pain my normal sleep is reduced by less than 25%.
- ③ Because of pain my normal sleep is reduced by less than 50%.
- ④ Because of pain my normal sleep is reduced by less than 75%.
- ⑤ Pain prevents me from sleeping at all.

Sitting

- ① I can sit in any chair as long as I like.
- ① I can only sit in my favorite chair as long as I like.
- ② Pain prevents me from sitting more than 1 hour.
- ③ Pain prevents me from sitting more than 1/2 hour.
- ④ Pain prevents me from sitting more than 10 minutes.
- ⑤ I avoid sitting because it increases pain immediately.

Standing

- ① I can stand as long as I want without pain.
- ① I have some pain while standing but it does not increase with time.
- ② I cannot stand for longer than 1 hour without increasing pain.
- ③ I cannot stand for longer than 1/2 hour without increasing pain.
- ④ I cannot stand for longer than 10 minutes without increasing pain.
- ⑤ I avoid standing because it increases pain immediately.

Walking

- ① I have no pain while walking.
- ① I have some pain while walking but it doesn't increase with distance.
- ② I cannot walk more than 1 mile without increasing pain.
- ③ I cannot walk more than 1/2 mile without increasing pain.
- ④ I cannot walk more than 1/4 mile without increasing pain.
- ⑤ I cannot walk at all without increasing pain.

Personal Care

- ① I do not have to change my way of washing or dressing in order to avoid pain.
- ① I do not normally change my way of washing or dressing even though it causes some pain.
- ② Washing and dressing increases the pain but I manage not to change my way of doing it.
- ③ Washing and dressing increases the pain and I find it necessary to change my way of doing it.
- ④ Because of the pain I am unable to do some washing and dressing without help.
- ⑤ Because of the pain I am unable to do any washing and dressing without help.

Lifting

- ① I can lift heavy weights without extra pain.
- ① I can lift heavy weights but it causes extra pain.
- ② Pain prevents me from lifting heavy weights off the floor.
- ③ Pain prevents me from lifting heavy weights off the floor, but I can manage if they are conveniently positioned (e.g., on a table).
- ④ Pain prevents me from lifting heavy weights off the floor, but I can manage light to medium weights if they are conveniently positioned.
- ⑤ I can only lift very light weights.

Traveling

- ① I get no pain while traveling.
- ① I get some pain while traveling but none of my usual forms of travel make it worse.
- ② I get extra pain while traveling but it does not cause me to seek alternate forms of travel.
- ③ I get extra pain while traveling which causes me to seek alternate forms of travel.
- ④ Pain restricts all forms of travel except that done while lying down.
- ⑤ Pain restricts all forms of travel.

Social Life

- ① My social life is normal and gives me no extra pain.
- ① My social life is normal but increases the degree of pain.
- ② Pain has no significant affect on my social life apart from limiting my more energetic interests (e.g., dancing, etc).
- ③ Pain has restricted my social life and I do not go out very often.
- ④ Pain has restricted my social life to my home.
- ⑤ I have hardly any social life because of the pain.

Changing degree of pain

- ① My pain is rapidly getting better.
- ① My pain fluctuates but overall is definitely getting better.
- ② My pain seems to be getting better but improvement is slow.
- ③ My pain is neither getting better or worse.
- ④ My pain is gradually worsening.
- ⑤ My pain is rapidly worsening.

Index Score = [Sum of all statements selected / (# of sections with a statement selected x 5)] x 100

Back
Index
Score



Patient Name _____ **Date** _____

This questionnaire will give your provider information about how your neck condition affects your everyday life. Please answer every section by marking the one statement that applies to you. If two or more statements in one section apply, please mark the one statement that most closely describes your problem.

Pain Intensity

- ⓪ I have no pain at the moment.
- ① The pain is very mild at the moment.
- ② The pain comes and goes and is moderate.
- ③ The pain is fairly severe at the moment.
- ④ The pain is very severe at the moment.
- ⑤ The pain is the worst imaginable at the moment.

Sleeping

- ⓪ I have no trouble sleeping.
- ① My sleep is slightly disturbed (less than 1 hour sleepless).
- ② My sleep is mildly disturbed (1-2 hours sleepless).
- ③ My sleep is moderately disturbed (2-3 hours sleepless).
- ④ My sleep is greatly disturbed (3-5 hours sleepless).
- ⑤ My sleep is completely disturbed (5-7 hours sleepless).

Reading

- ⓪ I can read as much as I want with no neck pain.
- ① I can read as much as I want with slight neck pain.
- ② I can read as much as I want with moderate neck pain.
- ③ I cannot read as much as I want because of moderate neck pain.
- ④ I can hardly read at all because of severe neck pain.
- ⑤ I cannot read at all because of neck pain.

Concentration

- ⓪ I can concentrate fully when I want with no difficulty.
- ① I can concentrate fully when I want with slight difficulty.
- ② I have a fair degree of difficulty concentrating when I want.
- ③ I have a lot of difficulty concentrating when I want.
- ④ I have a great deal of difficulty concentrating when I want.
- ⑤ I cannot concentrate at all.

Work

- ⓪ I can do as much work as I want.
- ① I can only do my usual work but no more.
- ② I can only do most of my usual work but no more.
- ③ I cannot do my usual work.
- ④ I can hardly do any work at all.
- ⑤ I cannot do any work at all.

Personal Care

- ⓪ I can look after myself normally without causing extra pain.
- ① I can look after myself normally but it causes extra pain.
- ② It is painful to look after myself and I am slow and careful.
- ③ I need some help but I manage most of my personal care.
- ④ I need help every day in most aspects of self care.
- ⑤ I do not get dressed, I wash with difficulty and stay in bed.

Lifting

- ⓪ I can lift heavy weights without extra pain.
- ① I can lift heavy weights but it causes extra pain.
- ② Pain prevents me from lifting heavy weights off the floor, but I can manage if they are conveniently positioned (e.g., on a table).
- ③ Pain prevents me from lifting heavy weights off the floor, but I can manage light to medium weights if they are conveniently positioned.
- ④ I can only lift very light weights.
- ⑤ I cannot lift or carry anything at all.

Driving

- ⓪ I can drive my car without any neck pain.
- ① I can drive my car as long as I want with slight neck pain.
- ② I can drive my car as long as I want with moderate neck pain.
- ③ I cannot drive my car as long as I want because of moderate neck pain.
- ④ I can hardly drive at all because of severe neck pain.
- ⑤ I cannot drive my car at all because of neck pain.

Recreation

- ⓪ I am able to engage in all my recreation activities without neck pain.
- ① I am able to engage in all my usual recreation activities with some neck pain.
- ② I am able to engage in most but not all my usual recreation activities because of neck pain.
- ③ I am only able to engage in a few of my usual recreation activities because of neck pain.
- ④ I can hardly do any recreation activities because of neck pain.
- ⑤ I cannot do any recreation activities at all.

Headaches

- ⓪ I have no headaches at all.
- ① I have slight headaches which come infrequently.
- ② I have moderate headaches which come infrequently.
- ③ I have moderate headaches which come frequently.
- ④ I have severe headaches which come frequently.
- ⑤ I have headaches almost all the time.

Index Score = [Sum of all statements selected / (# of sections with a statement selected x 5)] x 100

Neck
Index
Score



The Roland-Morris Disability Questionnaire

When your back hurts, you may find it difficult to do some of the things you normally do.

This list contains sentences that people have used to describe themselves when they have back pain. When you read them, you may find that some stand out because they describe you *today*.

As you read the list, **think of yourself today**. When you read a sentence that describes you today, circle the number. If the sentence does not describe you, do not circle it and go on to the next one. Remember, only circle the sentence if you are sure it describes you today.

1. I stay at home most of the time because of my back.
2. I change position frequently to try and get my back comfortable.
3. I walk more slowly than usual because of my back.
4. Because of my back I am not doing any of the jobs that I usually do around the house.
5. Because of my back, I use a handrail to get upstairs.
6. Because of my back, I lie down to rest more often.
7. Because of my back, I have to hold on to something to get out of a chair.
8. Because of my back, I try to get other people to do things for me.

9. I get dressed more slowly than usual because of my back.
10. I only stand for short periods of time because of my back.
11. Because of my back, I try not to bend or kneel down.
12. I find it difficult to get out of a chair because of my back.
13. My back is painful almost all the time.
14. I find it difficult to turn over in bed because of my back.
15. My appetite is not very good because of my back pain.
16. I have trouble putting on my socks (or stockings) because of the pain in my back.
17. I only walk short distances because of my back.
18. I sleep less well because of my back.
19. Because of my back pain, I get dressed with help from someone else.
20. I sit down for most of the day because of my back.
21. I avoid heavy jobs around the house because of my back.
22. Because of my back pain, I am more irritable and bad tempered with people than usual.
23. Because of my back, I go upstairs more slowly than usual.
24. I stay in bed most of the time because of my back.

Patient Name _____ Patient Signature _____ Date _____

This questionnaire is taken from: Roland MO, Morris RW. A study of the natural history of back pain. Part 1: Development of a reliable and sensitive measure of disability in low back pain. Spine 1983; 8: 141-144. The score of the RDQ is the total number of items checked – i.e. from a minimum of 0 to a maximum of 24.



THE LOWER EXTREMITY FUNCTIONAL SCALE

alpine chiropractic

We are interested in knowing whether you are having any difficulty at all with the activities listed below because of your lower limb Problem for which you are currently seeking attention. Please provide an answer for **each** activity.

Today, do you or would you have any difficulty at all with:

	Activities	Extreme Difficulty or Unable to Perform Activity	Quite a Bit of Difficulty	Moderate Difficulty	A Little Bit of Difficulty	No Difficulty
1	Any of your usual work, housework, or school activities.	0	1	2	3	4
2	Your usual hobbies, re creational or sporting activities.	0	1	2	3	4
3	Getting into or out of the bath.	0	1	2	3	4
4	Walking between rooms.	0	1	2	3	4
5	Putting on your shoes or socks.	0	1	2	3	4
6	Squatting.	0	1	2	3	4
7	Lifting an object, like a bag of groceries from the floor.	0	1	2	3	4
8	Performing light activities around your home.	0	1	2	3	4
9	Performing heavy activities around your home.	0	1	2	3	4
10	Getting into or out of a car.	0	1	2	3	4
11	Walking 2 blocks.	0	1	2	3	4
12	Walking a mile.	0	1	2	3	4
13	Going up or down 10 stairs (about 1 flight of stairs).	0	1	2	3	4
14	Standing for 1 hour.	0	1	2	3	4
15	Sitting for 1 hour.	0	1	2	3	4
16	Running on even ground.	0	1	2	3	4
17	Running on uneven ground.	0	1	2	3	4
18	Making sharp turns while running fast.	0	1	2	3	4
19	Hopping.	0	1	2	3	4
20	Rolling over in bed.	0	1	2	3	4
	Column Totals:					

Minimum Level of Detectable Change (90% Confidence): 9 points

SCORE: ____ / 80

Please submit the sum of responses.

Reprinted from Binkley, J., Stratford, P., Lott, S., Riddle, D., & The North American Orthopaedic Rehabilitation Research Network, The Lower Extremity Functional Scale: Scale development, measurement properties, and clinical application, Physical Therapy, 1999, 79, 4371-383, with permission of the American Physical Therapy Association.

1) How much pain do you have today?										
0	1	2	3	4	5	6	7	8	9	10
0 = no pain									10= Worst pain imaginable	
2) Do your whiplash symptoms interfere with your personal care? (washing, dressing etc.)										
0	1	2	3	4	5	6	7	8	9	10
0 = not at all									10= Unable to perform	
3) Do your whiplash symptoms interfere with your work / home / study duties?										
0	1	2	3	4	5	6	7	8	9	10
0 = not at all									10= Unable to perform	
4) Do your whiplash symptoms interfere with driving or using public transportation?										
0	1	2	3	4	5	6	7	8	9	10
0 = not at all									10= Unable to travel in car/public	
5) Do your whiplash symptoms interfere with sleep?										
0	1	2	3	4	5	6	7	8	9	10
0 = not at all									10= Cannot sleep	
6) Do you feel more tired / fatigued than usual since your injury?										
0	1	2	3	4	5	6	7	8	9	10
0 = not at all									10= Always	
7) Do your whiplash symptoms interfere with social activity?										
0	1	2	3	4	5	6	7	8	9	10
0 = not at all									10= Unable to socialize	
8) Do your whiplash symptoms interfere with sporting leisure activity?										
0	1	2	3	4	5	6	7	8	9	10
0 = not at all									10= Unable to participate	

Whiplash Disability Questionnaire



9) Do your whiplash symptoms interfere with non-sporting leisure activity?										
0	1	2	3	4	5	6	7	8	9	10
0 = not at all										10= Unable to participate
10) Do you experience sadness / depression as a result of your whiplash injury / symptoms?										
0	1	2	3	4	5	6	7	8	9	10
0 = not at all										10= Always
11) Do you experience anger as a result of your whiplash injury / symptoms?										
0	1	2	3	4	5	6	7	8	9	10
0 = not at all										10= Always
12) Do you experience anxiety as a result of your whiplash injury / symptoms?										
0	1	2	3	4	5	6	7	8	9	10
0 = not at all										10= Always
13) Do you have difficulty concentrating as a result of your whiplash injury / symptoms?										
0	1	2	3	4	5	6	7	8	9	10
0 = not at all										10= Unable to concentrate

Patient Name _____ Patient Signature _____ Date _____